



Mr John Fisher  
Environmental Manager  
180 Thomas Street  
HAYMARKET NSW 2000

16/11/2021

Dear Mr Fisher

**Project EnergyConnect (NSW - Western Section) (SSI-10040)  
Additional Water Supply Route**

I refer to your request dated 15 November 2021 for the Secretary's approval for use of an additional water supply route on Modica Crescent for the project, in accordance with Condition D36(b) of Schedule 2 of the infrastructure approval for Project EnergyConnect (NSW – Western Section) (SSI-10040).

The Department has carefully reviewed the document and notes that Transgrid has confirmed that the use of Modica Crescent as a water supply route for the project would be subject to:

- addressing the use Modica Crescent in the Traffic Strategy required by Condition D37;
- implementing any required road upgrades to Modica Crescent in accordance with Condition D38;
- carrying out dilapidation surveys along Modica Crescent in accordance with Condition D39;
- addressing the use of the Modica Crescent water supply route in the Traffic and Transport CEMP Sub-plan prepared in accordance with Conditions D40, B2 and B6.

Accordingly, the Secretary has approved the use of an additional water supply route on Modica Crescent, Buronga, subject to the above.

If you wish to discuss the matter further, please contact Iwan Davies on 9274 6296.

Yours sincerely

A handwritten signature in blue ink, appearing to be 'Nicole Brewer', with a horizontal line extending to the right.

Nicole Brewer  
Director  
Energy Assessments

As nominee of the Secretary