

Project EnergyConnect (NSW - Eastern Section) Ecology Pre-Clearance Survey Report



General information	
Item	Detail
Ecologist / Fauna Spotter(s) completing Pre-Clearance Survey	Name: Scott Rolph, Hannah Roberts, Madeleine Cicchelli Qualification: Ecologist
Date of Pre-Clearance Survey	16/01/2026
Specific Pre-Clearance Survey location (Line No./ Tower / Span No.)	Survey Extent: T100-150
Scope methodology	Desktop Survey: A desktop survey was undertaken that encompasses the full Biodiversity Assessment Method (BAM) assessment extent. Infield Survey: The in-field survey encompassed the full easement, including a 15-metre buffer on both sides of B10.

Pre-clearance Survey details					
Infrastructure surveyed					
Tower footprint	<input type="checkbox"/>	Centreline			<input checked="" type="checkbox"/>
Brake and winch site, OPGW, EPZ, hurdle and/or crane pad site	<input type="checkbox"/>	Parking areas			<input type="checkbox"/>
Access track (existing)	<input type="checkbox"/>	Access track (new)			<input type="checkbox"/>
Disturbance Area B	<input checked="" type="checkbox"/>	Other			<input checked="" type="checkbox"/>
Any other details:	Full easement with 15-meter buffer to accommodate for hazard & tall growing trees				
Protected Matters					
Item	Presence identified		Quantum surveyed (Ha)	Quantum which will be disturbed (Ha)	Comments
	Yes	No			
White Box-Yellow Box-Blakely's Red Gum Grassy Woodland and Derived Native Grassland ^{1,2}	<input checked="" type="checkbox"/>	<input type="checkbox"/>	20.07 Ha	0.17Ha	EPBC Act Threatened Ecological Community (including additional disturbance areas)
Grey Box (<i>Eucalyptus microcarpa</i>) Grassy Woodlands and Derived Native Grasslands of South-eastern Australia ^{1,2}	<input checked="" type="checkbox"/>	<input type="checkbox"/>	5.26 Ha	0.02	EPBC Act Threatened Ecological Community (including additional disturbance areas)
Weeping Myall Woodlands ^{1,2}	<input type="checkbox"/>	<input checked="" type="checkbox"/>			
Natural Grasslands of the Murray Valley Plains ^{1,2}	<input type="checkbox"/>	<input checked="" type="checkbox"/>			
Habitat for Mossgiel Daisy ^{1,2}	<input type="checkbox"/>	<input checked="" type="checkbox"/>			
Habitat for Chariot Wheels ^{1,2}	<input type="checkbox"/>	<input checked="" type="checkbox"/>			
Habitat for Slender Darling Pea ^{1,2}	<input type="checkbox"/>	<input checked="" type="checkbox"/>			
Notes:	<ul style="list-style-type: none"> Critically endangered BC Act TEC White Box Yellow Box Blakely's Red Gum Grassy Woodland and Derived Native Grassland identified within the surveyed area. 				

Once printed this document becomes uncontrolled. Refer to the Elecnor intranet for a controlled copy

Pre-clearance Survey details

- Endangered BC Act TEC *Inland Grey Box Woodland* in the Riverina, NSW South Western Slopes, Cobar Peneplain, Nandewar and Brigalow Belt South Bioregions identified within the surveyed area.

Management measures required to avoid or minimise impacts to Protected Matters:

- Exclusion zones not required as clearing has already occurred within the easement.
- No additional mitigation measure required. Clearing works to be managed in accordance with the approved Biodiversity Management Plan.

Hollow Bearing / Habitat Trees

Habitat trees and habitat features identified & marked?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	<p>Comments: Hollow-bearing trees and nests identified (includes initial pre-clearance surveys marked with GPS and incidental observations recorded on Field Maps). All trees to be re-assessed by ecologists prior to clearing due to the high likelihood of new nests being established since initial pre-clearance surveys.</p> <p>Additional violation trees marked for pruning or removal by ENSPEC have been assessed based on in-field and prior GIS data and identified as containing habitat.</p>
GPS coordinates and habitat trees recorded?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	<p>Comments: Total of 297 existing GPS waypoints recorded during pre-clearance surveys between Tower 100-150 (includes trees previously removed).</p> <p>Eight additional violation trees identified have the following ENSPEC IDs: 4, 6, 15, 28, 29, 32, 38, 104; as well as 15 trees that lack ENSPEC IDs (total of 23 violation trees).</p>
Nest boxes required?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	<p>Comments: Nest boxes previously installed.</p>
Fauna spotter required to be present during clearing activities?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	<p>Comments: Pre-inspection of all trees by an ecologist required prior to tree trimming and/or removal.</p> <p>Pre-inspection of all grassland habitat by an ecologist required before any ground stripping activities (including PCT 0).</p> <p>Ecologist required during removal of any hollow-bearing and/or nest trees.</p> <p>Ecologist required during ground stripping activities (only required in PCT 0 if suitable fauna habitat is identified by an ecologist during pre-inspection).</p>

Weeds

Were any Weeds of National Significance or Priority Weeds identified?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	<p>Details:</p> <p>African Boxthorn (<i>Lycium ferocissimum</i>) - Tower 120-121, 132-133, 139-140, 149-150</p>
---	---	-----------------------------	---

Once printed this document becomes uncontrolled. Refer to the Elecnor intranet for a controlled copy

**Project EnergyConnect (NSW - Eastern Section)
Ecology Pre-Clearance Survey Report**



Pre-clearance Survey details

Environmental exclusion zones

Threatened Species Identified within Disturbance Area B?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	Details: Spotted Harrier (<i>Circus assimilis</i>) (BC Act-listed as Vulnerable) - Tower 143-144 Superb Parrot (<i>Polytelis swainsonii</i>) (EPBC and BC Act-listed as Vulnerable) - Tower 103-104, 108-109, 110-111, 120-121, 130-131, 140-141, 143-144 Grey-crowned Babbler (<i>Pomatostomus temporalis temporalis</i>) (BC Act-listed as Vulnerable) - Tower 111-112, 119-121, 130-131, 132-133, 139-140, 143-144, 146-147, 149-150 Black Falcon (<i>Falco subniger</i>) (BC Act-listed as Vulnerable) - Tower 118-11 Square-tailed Kite (<i>Lophoictinia isura</i>) (BC Act-listed as Vulnerable) - Tower 130-131
Environmental exclusion zones required?	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>	Details: Not required due to prior clearing within easement.

Unexpected Finds

Were any Unexpected Finds identified?	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>	Details:
If yes, has the Environmental Manager been notified?	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>	Details:

Additional comments:

- Ecologist required for pre-inspection of all vegetation prior to removal (ground stripping and tree trimming/removal).
- Ecologist required during removal of all vegetation (excludes non-habitat trees, cropped and/or pasture paddocks, and grassland with no habitat features identified during ecologist pre-inspection).
- Ecologist required for pre-inspection prior to removal or relocation of log piles or large hollow-bearing logs (if logs have remained in-situ for four (4) weeks or longer).
- Vegetation removal has previously occurred within easement.
- Squirrel Glider habitat mapped within Disturbance Area B (Tower 108-109, 110-115, 119-121, 126-127, 129-133, 139-141, 144-148, 149-150).
- Assumed species presence Small Scurf Pea (*Cullen parvum*) (Tower 142-144).
- Assumed species presence Superb Parrot (Tower 100-101, 110-112, 142-144).
- Hollow-bearing limbs/logs to be retained as fauna habitat where possible.
- Weeds to be managed in accordance with the Biosecurity Management Plan.

Once printed this document becomes uncontrolled. Refer to the Elecnor intranet for a controlled copy

**Project EnergyConnect (NSW - Eastern Section)
Ecology Pre-Clearance Survey Report**



Pre-clearance Approval

Ecologist

Name	Hannah Roberts
Signature	
Date	16/01/2026
Elecnor	
Name	Oluwatobi Aina
Position	Environmental Advisor
Signature	
Date	30/01/2026

Once printed this document becomes uncontrolled. Refer to the Elecnor intranet for a controlled copy